### Receiving Report

Da	ate: D	16	Batcl	n No:	732		
Sı	upplier: QMF	a) Stool	Dart	P/0: 1+	-688		
Packing Slip: Invoice: Receipt: Discrepancies	Yes No No Cash Cr	W si	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye			
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments	
*			*				
			, i				
	Initials of receiver (if shipment OK) Level 12						
Production/Ad Date Received/Cos Initial	12-16	2			Locati	on	

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D

## Purchase Order Receipt Listing

Thursday, August 16, 2012 3:14:35 PM

All amounts are calculated in domestic currency.

All Vendors PO ID po17688 Receipt Dates from 8/16/2012 to 8/16/2012 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt	\$379.58	96.0000 0.0000 0.0000 \$379.58
MRB Qty/ MRB Reject Qty	0	puantity: O U/M): puantity: ot Value: puantity:
Cost Per Unit/ Inspected Qty/ MRB Qty/ Recv Value Rejected Qty MRB Reject (PO U/M) Qty	0.0000	Total Received Quantity:  Total Qty to Inspect (PO U/M):  Total Reject Quantity:  Total Receipt Value:  Total Balance Due Quantity:
Cost Per Unit	\$3.95	Total
Recv Qty (PO U/M)		
Recv Date/ Recv Emp	16/2012 8/16/2012 96.0000 DESJ02	
Required Date Required Qty	8/16/2012 8/16/2012 96.0000 DESJ02	
//M		
PO U/M / Stock U/M	npi Steel Sf et sf	
Reference/ Description/ Cert Std	VC-CAM002 Campi Steel M304S20GA sf 304/316.040 Sheet sf	
Project ID Reference/ Description Cert Std		
Line Nbr/ Insp Req	dor Name 1 No	
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO17688 1 CAD No	

Valleyfield (Québec) J6S 5L1 VENDU À / SOLD TO:

935, boul. du Havre

TÉLÉPHONE: 450 377-4248 FAX: 450 377-5696

ONTARIO: 1800 667-4248 FAX: 1866 456-4242

EXPÉDIEZ À / SHIP TO:

ESOT-UES-ATS

613-632-5300 G

MONTRÉAL: 514336-4248 FAX: 514 336-4246

DISTRIBUTEURO ACIER ET MÉTAUX SPÉCIALISÉS STEEL AND SPECIALTY METALS DISTRIBUTOR

On a du Savoir "TER

ŝ THE PROPERTY. 

620200

ž BON DE LIVRAISON PACKING SLIP DATE

1270 ARENDERY GIREF

1270 AREDER STAE

HAMKESSLRY, DESIGN.

KGA 1KZ

HUNDRING LENG

MANTHENNEY

KG1 1177

AND ARROPMENT LIB

STATE OF STA

DATE DE LIVRAISON DELIVERY DATE

G1/140/9

1 PAGE Nº REMARQUES / REMARKS ŝ TERR.

MET AS THERE **TERMES / TERMS** EXPEDIE PAR / SHIP VIA VEND. / SALESM. | CODE CLIENT / CUST. CODE DOCK VOTRE N° DE COMMANDE / YOUR P.O. N° PD17688

MONTANT PAR PRIX 147,889 POIDS WEIGHT DESCRIPTION EVENTLY TEST REQUISIONS 20 JA 48 X 304 20 EXPÉDIÉ SHIPPED COMMANDÉ CODE DE PRODUIT PRODUCT CODE Desamond

PC Pled carré
 Square foot

Pled Food

• CPI Centpleds • UN Unite

Unités de mesure : CLB Hundred pounds

VS WITH THIS DOCUMENT ENCLOSED. • ANY MERCHANDISE THAT Beturned Mast be with our authorization and are subject LIFE DE "ACIER GAMPINE", AJSOUA PARENT PAIENENT COMPLET

• LA GARANTE DE GUALITE DI MATEILE EST LARBIMG DOC GELLE

TIES: NET 30.00180 DE LA DATE DE PACTIVATION, ET TOUT COMPTE

TIES: NET 30.00180 DE LA DATE DE PACTIVATION, ET TOUT COMPTE

TIES: NET 30.00180 DE LA DATE DE PACTIVATION TO DEFAUT PROSEDITATION TO UN COMPLET

TIES: NET ADOUT ETTE ATTE DAJAS LES OND, JOSHS SUR PRÉSENTATION DE

PROTE TIES REPRESENTATION DE DAJAS SUR PRÉSENTATION DE

PROTE TIES REPRESENTATION DE DAJAS SUR PRÉSENTATION DE

PROTE TIES REPRESENTATION DE DAJAS SUR PRÉSENTATION DE

ALEITTA DOSSENTATION DE DAJAS SUR PRÉSENTATION DE

ALEITTA DA SUR DAJAS SUR PRÉSENTATION DE DAJAS SUR PRÉSENTATION DE

ALEITTA DA SUR DAJAS SUR PRÉSENTATION DE DAJAS SUR PRÉSENTATION DE

ALEITTA DA SUR DAJAS SUR PRÉSENTATION DE DAJAS SUR PRESENTATION DE DAJAS SUR P

SOUS-TOTAL SUB TOTAL

المارية المارية المارية

POIDS TOTAL TOTAL WEIGHT

T.P.S. G.S.T.

RECUE ENBRING CONDITION MERCHANDISE RECEIVED IN GOOD CONDITION **MARCHANDISH** 

T.V.Q. / T.V.H. Q.S.T. / H.S.T. TOTAL

SIGNATURE DU CLIÉNT / CÚSTOIMERS SIGNATURE

PAR (A MOL

VÉRIFIÉ / VERIFIED

PRÉPARÉ / PREPARED.

### 870 HICHWAY 42 EAST

# METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

Ship To:

MELL TO: wrtificate: 707369 3

007040 002

ustomer:

1/31/2012 I thinia Date Steal &

Page: 1

MAS. Order: PM 0017295 01

P201564

our order:

Corrotion: ASTM A262/02mt/180Bend-OR

STM A140/10, A480/10, A666/14; ASME SA240/10, SA480/10, SA666/10 MESSISS NICK, MIL-8-5059D MODS(X CRN MEAS); MIL-8-4043B THIRDS STREET SHEET, C.R., ANGESTAD & PICKLED; UNSJEACO DACH MR0175/01, MR0103/07; QQ87669-A X MAG PERM CE. SOLUTION ANNEAL TEMP 1960F, MAYER COENCIRED DESCRIPTION MID028-7 # MM10088-2, 1.4301 RODUCT

"Melted & Manufactured in the USA; Mat'l is DFARs Compliant Mat'l is Free of Mercury Contemination, No weld regains. Product Mfg.by a Quality Mgt.Sys. in Conf. w/180 9001 MAS Steel Making Process: EAF, ACO, & Cont. Casting QOS763F Cond Ay NoHS Compliant Material is Free of Radioactive Contamination of 10028-7 Ches only ES 10204:2004 3.1; REMARKS

Pieces Commodity Code

걸

9 9

Weight

Width

Skid # Thichass

, <u>†</u>

	11	S CM(Country of Meft) E8(Spein) US(Inited States) ZA(South Africa) JP(Jepan)
8		<u> </u>
H		Ö.
	1	- 5
	4	-
00.960	1	3
0	1	•
9		~
		Z.
X	4	7
ä	0	7
_		
		鼍
	1	8
	i	
		7
	1	N
Ď.		
5	ii i	-
и		<u> </u>
뮨		7
W	1	- 25i
	1	70
m	1	9
-1		4
vé.		-
_+	1	5
44		*4
	1	70.0
		-
	i	-,5
		. 팔
_		4
2	: 1	*
3		76
ō		_
_'		-
3		₽
•		
(.0345 48.0000 2,615 SHEETS		22
	$\sim$	75
n	X.	20.
X	1	5
ö	V.	€
•	//	- 2
	4	ŭ
	ı E	Ē
		<b>.</b>
	11	_
	3	
	1	
		203
		Н
•	1	m
	3	44
		- PH :
		·-
Д		H
04B3L1 3B	0	-4
	1	P4
3	i	57
7		-
ă		
7	1	
ø	11	
	11	. 7
	1	Н
	1	4
		-
	1	t)
	1	Ų
		H
		H
		C H H
24		C H H H H
424		の対対は
9424		の日本田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田田
199424		五 B M I C
D99424		THERTCAL AMALYSIS

.0345

OABBLL AB

Co41 #

produce Id

_	T	1	_	_,
		-		
	÷			
50	.0010			
Pa	.0305	- 3		
불	. 0833 8.03400305			
×	. 0833		*	
2	.2185			
<b>19</b>	1.6963			
8	.2870			
₿	.0612 18.4860		- 3	
0	.0612	ßİ	.3025	
ð	SQ.			
HENT	B3L1			

### PROPERTIES KHCHANICAL

	-
radi Fard	86.00
Rard 7	88,00
ELCHG	45,69
1% YR KBÎ	53.90
. 7% YB Ksi	54.23
UTS	101,16 54,23
1 0 0 °	F4 F4
coil #	048311
Product 16# Coil #	099424

(4AS hereby certifies that the analysis on this certification is correct and the material meets the specifications stated.

Technical Dept. Mgr.

FRIC HESS

### PURCHASE ORDER

### Purchase Order ID PO17688

PO Print Date 8/15/12 Purchase Order Date 8/15/12

Fax: 613 632 1053 Tel: 613 632 9577 Hawkesbury, ON K6A 1K7 1270 Aberdeen Street Dart Aerospace Ltd.



Page Number 1 of 1

VC-CAM002

**AALLEYFIELD, QC 16S 5L1** 

969\$ LLE 05t

8727 739 008

DART AEROSPACE LTD

Vendor Fax Vendor Phone

CAMPI STEEL Order From:

Contact Name

Vendor Account Nbr

933 BOUL, DU HAVRE

: oT qid2

HAWKESBURY, ON K6A 1K7 1510 ABERDEEN

CANADA

Special Inst:

304/316.040 Sheet

OR ASTM A240 OR ASME SA240

AS MIL-S-5059 OR AMS 5513 (304) OR

īs

Red Qty/ Ship Method

00.96

Yours ppd

Destination-Collect

CVD

Net 30

10127-2607

Chantal Lavoie

MATERIAL: AISI 304/316 SS SHEET

Taxable Unit of Measure

AMS 5524 (316)

**YMMEALED 2B FINISH** 

χęs

8/19/15

Red Date/

FOB Currency

Terms Tax Resale Nbr

Buyer

Requisition Nbr

OI SIM Description/

Vendor Part Number Revision ID

M304S20GA

Line Nbr Reference

01-80-8

0056.5\$

Unit Price

02.67E\$

\$379.20

Price

Extended

BEO'D UPON DELIVERY MATERIAL CERTIFICATION

consent. No substitution or deviation without

Certification required YES ON Certificate of Conformity of Material

Change Date: 8/12/15

Į

Change Nbr:

870 HICHWAY 42 EAST

## METALLURGICAL TEST REPORT

NORTH AMERICAN STAINLESS 6870 HIGHWAY 42 EAST GHENT, KY 41045

ertiflester 707369 3

007040 002 us comer:

Ship To:

MAS Oxdex: FR 0017295 01

P201564

our order:

Page: 1 Date: 1/31/2012

Steel: 304

Corrosion: ASTM A262/02as,1892end-0x

Finish: 2B

U 10204:2004 9.1; REMARKS STH A348/10, A480/10, A666/14: ASM SA340/10, SA480/10, SA666/10 HOSSILL NICK, MILL-8-5059D MODI(I CRIS MILLS); MIL-5-4043B THE REST STREET, SHEET, C.R., MANUALLE & PICKELL, 188930400 ACE MINITS/01, MR0103/07; QQE7660-A E MAG PRES LIN. SOLUTION AMERIC THE 1906F. WATE QUENCEDED DESCATPETON DE10028-7 & EM10088-7, 1.4301 RODUCT

Molted & Manufactured in the Dill Mat'l is DVAs Compliant Mat'l is Free of Mercury Contembation. No weld regains. WAS Steel Making Process MAF, ACG, & Cont. Casting Broduct MSg.by a Quality Myt.Sys. in Conf. w/150 9901 005763F Cond Ay North Compilent Material is Free of Radioactive Contemination # 10028-7 Chem omly

ſ	***************************************	
ā		
S Code		
Commodity		
Pieces	36	
Feer's	71	
Weight	09.6.00	
-Longt	B	
	2,615 BREETS	
Meight	2,615	
låth	8. GD#0	
¥	45	
Thichm	6.	
ER14 #		
-	. 2	
Coll #	04831.1	
밀		
Product	D59454	
•		•

AMALYSIS CHicamity of Meth Establish (States) Zagsouth Africa, Jeffepan) ことのこれを見ばい

	ð	O	Ę	8	1	£	,	ļ		ļ		
3361	8	.0612	0612 14.4660	2	1.6963	.3185	.0833	6.0348	.0305	0100.	7.0	
		25										
		.3025										
MECHANICAL PROPERTIES	i i	数 4 4 0 2	のはは									

Tacil Rand	14,22 55,90 45.69 88,06 86.00
	90. 80.
ELONG Bard	69.57
1% YE KBI	55.90
.74 YS 154 YS KSI KSI	34.23
UTES	T 101,16
w • 0	Er N
coil #	04835.1
Product 16\$ Coil	199424

NAS hereby certifies that the analysis on this certification is correct and the material means the specifications stated.

Technical Dept. Mgr.

FRIC HESS

1/31/2012